


**Ludwik - Ecological window and mirror cleaner**

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

- 1.1 Product identifier:** Ludwik - Ecological window and mirror cleaner
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses: Cleaner  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
GRUPA INCO S.A.  
ul. Wspólna 25  
00-519 Warszawa - Mazowieckie - Polska  
Phone.: +48 22 71 15 900  
info.produkty@inco.pl  
www.inco.pl
- 1.4 Emergency telephone number:** +48 22 7115900 (7.30-15.30)

**SECTION 2: HAZARDS IDENTIFICATION**

- 2.1 Classification of the substance or mixture:**  
**CLP Regulation (EC) No 1272/2008:**  
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.  
Eye Irrit. 2: Eye irritation, Category 2, H319
- 2.2 Label elements:**  
**CLP Regulation (EC) No 1272/2008:**  
**Warning**  
  
**Hazard statements:**  
Eye Irrit. 2: H319 - Causes serious eye irritation  
**Precautionary statements:**  
P101: If medical advice is needed, have product container or label at hand  
P102: Keep out of reach of children  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P501: Dispose of contents/ container to appropriate containers in accordance with the local municipal waste management system.
- 2.3 Other hazards:**  
Product fails to meet PBT/vPvB criteria

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

- 3.1 Substance:**  
Non-applicable
- 3.2 Mixture:**  
**Chemical description:** Mixture composed of chemical products  
**Components:**  
In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification   | Chemical name/Classification  | Concentration                   |
|--|---|---------------------------------|
| CAS: 67-63-0<br>EC: 200-661-7<br>Index: 603-117-00-0<br>REACH: 01-2119457558-25-XXXX | <b>Propan-2-ol<sup>(1)</sup></b><br>Regulation 1272/2008 Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger | ATP CLP00<br><b>5 - &lt;8 %</b> |

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830  
<sup>(2)</sup> Substance with a Union workplace exposure limit

**Ludwik - Ecological window and mirror cleaner**

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)**

| Identification   | Chemical name/Classification  | Concentration                     |
|--|---|-----------------------------------|
| CAS: 64-19-7<br>EC: 200-580-7<br>Index: 607-002-00-6<br>REACH: 01-2119475328-30-XXXX | <b>Acetic acid<sup>(2)</sup></b><br>Regulation 1272/2008 Flam. Liq. 3: H226; Skin Corr. 1A: H314 - Danger | ATP CLP00<br><b>0,1 - &lt;1 %</b> |

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

<sup>(2)</sup> Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

| Identification                               | Specific concentration limit   |
|--|--|
| Acetic acid<br>CAS: 64-19-7<br>EC: 200-580-7 | % (w/w) >=90: Skin Corr. 1A - H314<br>25<= % (w/w) <90: Skin Corr. 1B - H314<br>10<= % (w/w) <25: Skin Irrit. 2 - H315<br>% (w/w) >=25: Eye Dam. 1 - H318<br>10<= % (w/w) <25: Eye Irrit. 2 - H319 |

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

**By skin contact:**

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

**By eye contact:**

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media:**

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

- CONTINUED ON NEXT PAGE -

## Ludwik - Ecological window and mirror cleaner

### SECTION 5: FIREFIGHTING MEASURES (continued)

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### **6.1 Personal precautions, protective equipment and emergency procedures:**

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilled product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### **6.2 Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

#### **6.3 Methods and material for containment and cleaning up:**

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### **6.4 Reference to other sections:**

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

#### **7.1 Precautions for safe handling:**

##### A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

##### B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Avoid splashes and pulverizations. Consult section 10 for conditions and materials that should be avoided.

##### C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

##### D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### **7.2 Conditions for safe storage, including any incompatibilities:**

##### A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

##### B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### **7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- CONTINUED ON NEXT PAGE -

**Ludwik - Ecological window and mirror cleaner**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace

| Identification                            | Environmental limits |        |                      |
|---|----------------------|--------|----------------------|
|   | IOELV (8h)           | 10 ppm | 25 mg/m <sup>3</sup> |
| Acetic acid<br>CAS: 64-19-7 EC: 200-580-7 | IOELV (STEL)         | 20 ppm | 50 mg/m <sup>3</sup> |

**DNEL (Workers):**

| Identification                               |            | Short exposure |                      | Long exposure         |                      |
|--|------------|----------------|----------------------|-----------------------|----------------------|
|  |            | Systemic       | Local                | Systemic              | Local                |
| Propan-2-ol<br>CAS: 67-63-0<br>EC: 200-661-7 | Oral       | Non-applicable | Non-applicable       | Non-applicable        | Non-applicable       |
|  | Dermal     | Non-applicable | Non-applicable       | 888 mg/kg             | Non-applicable       |
|  | Inhalation | Non-applicable | Non-applicable       | 500 mg/m <sup>3</sup> | Non-applicable       |
| Acetic acid<br>CAS: 64-19-7<br>EC: 200-580-7 | Oral       | Non-applicable | Non-applicable       | Non-applicable        | Non-applicable       |
|  | Dermal     | Non-applicable | Non-applicable       | Non-applicable        | Non-applicable       |
|  | Inhalation | Non-applicable | 25 mg/m <sup>3</sup> | Non-applicable        | 25 mg/m <sup>3</sup> |

**DNEL (General population):**

| Identification                               |            | Short exposure |                      | Long exposure        |                      |
|--|------------|----------------|----------------------|----------------------|----------------------|
|  |            | Systemic       | Local                | Systemic             | Local                |
| Propan-2-ol<br>CAS: 67-63-0<br>EC: 200-661-7 | Oral       | Non-applicable | Non-applicable       | 26 mg/kg             | Non-applicable       |
|  | Dermal     | Non-applicable | Non-applicable       | 319 mg/kg            | Non-applicable       |
|  | Inhalation | Non-applicable | Non-applicable       | 89 mg/m <sup>3</sup> | Non-applicable       |
| Acetic acid<br>CAS: 64-19-7<br>EC: 200-580-7 | Oral       | Non-applicable | Non-applicable       | Non-applicable       | Non-applicable       |
|  | Dermal     | Non-applicable | Non-applicable       | Non-applicable       | Non-applicable       |
|  | Inhalation | Non-applicable | 25 mg/m <sup>3</sup> | Non-applicable       | 25 mg/m <sup>3</sup> |

**PNEC:**

| Identification                               |              | Short exposure |                         | Long exposure |       |
|--|--------------|----------------|-------------------------|---------------|-------|
|  |              | Systemic       | Local                   | Systemic      | Local |
| Propan-2-ol<br>CAS: 67-63-0<br>EC: 200-661-7 | STP          | 2251 mg/L      | Fresh water             | 140,9 mg/L    |       |
|  | Soil         | 28 mg/kg       | Marine water            | 140,9 mg/L    |       |
|  | Intermittent | 140,9 mg/L     | Sediment (Fresh water)  | 552 mg/kg     |       |
|  | Oral         | 0,16 g/kg      | Sediment (Marine water) | 552 mg/kg     |       |
| Acetic acid<br>CAS: 64-19-7<br>EC: 200-580-7 | STP          | 85 mg/L        | Fresh water             | 3,058 mg/L    |       |
|  | Soil         | 0,47 mg/kg     | Marine water            | 0,3058 mg/L   |       |
|  | Intermittent | 30,58 mg/L     | Sediment (Fresh water)  | 11,36 mg/kg   |       |
|  | Oral         | Non-applicable | Sediment (Marine water) | 1,136 mg/kg   |       |

**8.2 Exposure controls:**

A.- General security and hygiene measures in the work place



As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

| Pictogram  | PPE                                   | Labelling   | CEN Standard | Remarks  |
|--|---------------------------------------|---|--------------|--|
| <br>Mandatory hand protection | Protective gloves against minor risks |  |              | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2003+A1:2009 and EN ISO 374-1:2016 |



"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

D.- Ocular and facial protection

- CONTINUED ON NEXT PAGE -

**Ludwik - Ecological window and mirror cleaner**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Pictogram  | PPE   | Labelling   | CEN Standard                    | Remarks   |
|--|---|---|---------------------------------|---|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. |  | EN 166:2001<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

**E.- Body protection**

| Pictogram | PPE                  | Labelling   | CEN Standard      | Remarks   |
|-----------|----------------------|---|-------------------|---|
|           | Work clothing        |  |                   | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes |  | EN ISO 20347:2012 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007                                 |

**F.- Additional emergency measures**

| Emergency measure   | Standards                                       | Emergency measure  | Standards                                      |
|---|---|--|--|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

|                           |                                     |
|---------------------------|-------------------------------------|
| V.O.C. (Supply):          | 6,77 % weight                       |
| V.O.C. density at 20 °C:  | 66,97 kg/m <sup>3</sup> (66,97 g/L) |
| Average carbon number:    | 2,89                                |
| Average molecular weight: | 60,07 g/mol                         |

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

|                          |                  |
|--------------------------|------------------|
| Physical state at 20 °C: | Liquid           |
| Appearance:              | Transparent      |
| Colour:                  | Colourless       |
| Odour:                   | Characteristic   |
| Odour threshold:         | Non-applicable * |

**Volatility:**

|  |                         |
|--|-------------------------|
| Boiling point at atmospheric pressure: | 99 °C                   |
| Vapour pressure at 20 °C:              | 2399 Pa                 |
| Vapour pressure at 50 °C:              | 12611,47 Pa (12,61 kPa) |
| Evaporation rate at 20 °C:             | Non-applicable *        |

**Product description:**

|                   |                       |
|-------------------|-----------------------|
| Density at 20 °C: | 990 kg/m <sup>3</sup> |
|-------------------|-----------------------|

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

**Ludwik - Ecological window and mirror cleaner**

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

|  |                      |
|--|----------------------|
| Relative density at 20 °C:                   | 0,99                 |
| Dynamic viscosity at 20 °C:                  | Non-applicable *     |
| Kinematic viscosity at 20 °C:                | Non-applicable *     |
| Kinematic viscosity at 40 °C:                | Non-applicable *     |
| Concentration:                               | Non-applicable *     |
| pH:  | 3 - 4                |
| Vapour density at 20 °C:                     | Non-applicable *     |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable *     |
| Solubility in water at 20 °C:                | Non-applicable *     |
| Solubility properties:                       | Highly water-soluble |
| Decomposition temperature:                   | Non-applicable *     |
| Melting point/freezing point:                | Non-applicable *     |
| Explosive properties:                        | Non-applicable *     |
| Oxidising properties:                        | Non-applicable *     |
| <b>Flammability:</b>                         |                      |
| Flash Point:                                 | 44 °C                |
| Flammability (solid, gas):                   | Non-applicable *     |
| Autoignition temperature:                    | 189 °C               |
| Lower flammability limit:                    | Non-applicable *     |
| Upper flammability limit:                    | Non-applicable *     |
| <b>Explosive:</b>                            |                      |
| Lower explosive limit:                       | Non-applicable *     |
| Upper explosive limit:                       | Non-applicable *     |
| <b>9.2 Other information:</b>                |                      |
| Surface tension at 20 °C:                    | Non-applicable *     |
| Refraction index:                            | Non-applicable *     |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

**10.2 Chemical stability:**

Chemically stable under the conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight   | Humidity       |
|--------------------|------------------|-------------------------|------------|----------------|
| Not applicable     | Not applicable   | Precaution              | Precaution | Not applicable |

**10.5 Incompatible materials:**

| Acids          | Water          | Oxidising materials | Combustible materials | Others                        |
|----------------|----------------|---------------------|-----------------------|-------------------------------|
| Not applicable | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

**10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

- CONTINUED ON NEXT PAGE -

**Ludwik - Ecological window and mirror cleaner**

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects:**

The experimental information related to the toxicological properties of the product itself is not available

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.
- Contact with the eyes: Causes serious eye irritation

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.  
IARC: Propan-2-ol (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

| Identification | Acute toxicity |                 | Genus |
|----------------|----------------|-----------------|-------|
|                | LD50 oral      | LD50 dermal     |       |
| Propan-2-ol    | 5280 mg/kg     |                 | Rat   |
| CAS: 67-63-0   |                | 12800 mg/kg     | Rat   |
| EC: 200-661-7  |                | 72,6 mg/L (4 h) | Rat   |

- CONTINUED ON NEXT PAGE -

**Ludwik - Ecological window and mirror cleaner**

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

**12.1 Toxicity:**

| Identification |      | Acute toxicity    | Species                 | Genus      |
|----------------|------|-------------------|-------------------------|------------|
| Propan-2-ol    | LC50 | 9640 mg/L (96 h)  | Pimephales promelas     | Fish       |
| CAS: 67-63-0   | EC50 | 13299 mg/L (48 h) | Daphnia magna           | Crustacean |
| EC: 200-661-7  | EC50 | 1000 mg/L (72 h)  | Scenedesmus subspicatus | Algae      |
| Acetic acid    | LC50 | 75 mg/L (96 h)    | Lepomis macrochirus     | Fish       |
| CAS: 64-19-7   | EC50 | 47 mg/L (24 h)    | Daphnia magna           | Crustacean |
| EC: 200-580-7  | EC50 | Non-applicable    |                         |            |

**12.2 Persistence and degradability:**

| Identification |          | Degradability  | Biodegradability |          |
|----------------|----------|----------------|------------------|----------|
| Propan-2-ol    | BOD5     | 1.19 g O2/g    | Concentration    | 100 mg/L |
| CAS: 67-63-0   | COD      | 2.23 g O2/g    | Period           | 14 days  |
| EC: 200-661-7  | BOD5/COD | 0.53           | % Biodegradable  | 86 %     |
| Acetic acid    | BOD5     | Non-applicable | Concentration    | 100 mg/L |
| CAS: 64-19-7   | COD      | Non-applicable | Period           | 14 days  |
| EC: 200-580-7  | BOD5/COD | Non-applicable | % Biodegradable  | 74 %     |

**12.3 Bioaccumulative potential:**

| Identification |           | Bioaccumulation potential |
|----------------|-----------|---------------------------|
| Propan-2-ol    | BCF       | 3                         |
| CAS: 67-63-0   | Pow Log   | 0.05                      |
| EC: 200-661-7  | Potential | Low                       |
| Acetic acid    | BCF       | 3                         |
| CAS: 64-19-7   | Pow Log   | -0.71                     |
| EC: 200-580-7  | Potential | Low                       |

**12.4 Mobility in soil:**

| Identification |                 | Absorption/desorption | Volatility |
|----------------|-----------------|-----------------------|------------|
| Propan-2-ol    | Koc             | 1.5                   | Henry      |
| CAS: 67-63-0   | Conclusion      | Very High             | Dry soil   |
| EC: 200-661-7  | Surface tension | 2,24E-2 N/m (25 °C)   | Moist soil |
| Acetic acid    | Koc             | Non-applicable        | Henry      |
| CAS: 64-19-7   | Conclusion      | Non-applicable        | Dry soil   |
| EC: 200-580-7  | Surface tension | 2,699E-2 N/m (25 °C)  | Moist soil |

**12.5 Results of PBT and vPvB assessment:**

Product fails to meet PBT/vPvB criteria

**12.6 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods:**

| Code     | Description                                       | Waste class (Regulation (EU) No 1357/2014) |
|----------|---|--|
| 20 01 30 | detergents other than those mentioned in 20 01 29 | Non dangerous                              |

**Type of waste (Regulation (EU) No 1357/2014):**

Non-applicable

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

- CONTINUED ON NEXT PAGE -



**Ludwik - Ecological window and mirror cleaner**

**SECTION 13: DISPOSAL CONSIDERATIONS (continued)**

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

**SECTION 14: TRANSPORT INFORMATION**

**Transport of dangerous goods by land:**

With regard to ADR 2019 and RID 2019:

- 14.1 UN number:** Non-applicable
- 14.2 UN proper shipping name:** Non-applicable
- 14.3 Transport hazard class(es):** Non-applicable
- Labels: Non-applicable
- 14.4 Packing group:** Non-applicable
- 14.5 Environmental hazards:** No
- 14.6 Special precautions for user**
- Special regulations: Non-applicable
- Tunnel restriction code: Non-applicable
- Physico-Chemical properties: see section 9
- Limited quantities: Non-applicable
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:** Non-applicable

**Transport of dangerous goods by sea:**

With regard to IMDG 39-18:

- 14.1 UN number:** Non-applicable
- 14.2 UN proper shipping name:** Non-applicable
- 14.3 Transport hazard class(es):** Non-applicable
- Labels: Non-applicable
- 14.4 Packing group:** Non-applicable
- 14.5 Environmental hazards:** No
- 14.6 Special precautions for user**
- Special regulations: Non-applicable
- EmS Codes:
- Physico-Chemical properties: see section 9
- Limited quantities: Non-applicable
- Segregation group: Non-applicable
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:** Non-applicable

**Transport of dangerous goods by air:**

With regard to IATA/ICAO 2020:

- 14.1 UN number:** Non-applicable
- 14.2 UN proper shipping name:** Non-applicable
- 14.3 Transport hazard class(es):** Non-applicable
- Labels: Non-applicable
- 14.4 Packing group:** Non-applicable
- 14.5 Environmental hazards:** No
- 14.6 Special precautions for user**
- Physico-Chemical properties: see section 9
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:** Non-applicable

- CONTINUED ON NEXT PAGE -

## Ludwik - Ecological window and mirror cleaner

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Ethanol.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Propan-2-ol (Product-type 1, 2, 4) ; Acetic acid

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradability criteria stipulated in Regulation (EC) n°648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

#### Seveso III:

Non-applicable

#### Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

#### Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Eye Irrit. 2: H319 - Causes serious eye irritation

Flam. Liq. 2: H225 - Highly flammable liquid and vapour

Flam. Liq. 3: H226 - Flammable liquid and vapour

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage

STOT SE 3: H336 - May cause drowsiness or dizziness

#### Advice related to training:

- CONTINUED ON NEXT PAGE -

## Ludwik - Ecological window and mirror cleaner

### SECTION 16: OTHER INFORMATION (continued)

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>  
<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road  
IMDG: International maritime dangerous goods code  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation  
COD: Chemical Oxygen Demand  
BOD5: 5-day biochemical oxygen demand  
BCF: Bioconcentration factor  
LD50: Lethal Dose 50  
LC50: Lethal Concentration 50  
EC50: Effective concentration 50  
Log-POW: Octanol-water partition coefficient  
Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -